




















































































Crystal form and Point form














No.	number of faces or points	eigensymmetry (crystal form)	generating point group of basic general form (point form)
1	1	∞m 	$\bar{1}$ 
2	2	∞/m 	$\bar{1}$ 
3	2	$mm2$ 	$2, m$ 
4	4	222 	222 
5	4	$mm2$ 	$mm2$ 
6	4	mmm 	$2/m$ 
7	8	mmm 	mmm 

No.	number of faces or points	eigensymmetry (crystal form)	generating point group of basic general form (point form)
8	4	$4mm$ 	4 
9	4	$\bar{4}2m$ 	$\bar{4}$ 
10	4	$4/mmm$ 	
11	8	422 	422 
12	8	$4mm$ 	$4mm$ 
13	8	$\bar{4}2m$ 	$\bar{4}2m$ 
14	8	$4/mmm$ 	$4/m$ 
15	8	$4/mmm$ 	
16	16	$4/mmm$ 	$4/mmm$ 

No.	number of faces or points	eigensymmetry (crystal form)	generating point group of basic general form (point form)
17	3	$3m$ 	3  
18	3	$\bar{6}m2$ 	
19	6	32 	32 
20	6	$3m$ 	$3m$  
21	6	$\bar{3}m$ 	$\bar{3}$ 
22	6	$\bar{6}m2$ 	
23	6	$6mm$ 	6  
24	6	$\bar{6}m2$ 	$\bar{6}$ 
25	6	$6/mmm$ 	

No.	number of faces or points	eigensymmetry (crystal form)	generating point group of basic general form (point form)
26	12	$\bar{3}m$ 	$\bar{3}m$ 
27	12	622 	622 
28	12	$6mm$ 	$6mm$ 
29	12	$\bar{6}m2$ 	$\bar{6}m2$ 
30	12	$6/mmm$ 	
31	12	$6/mmm$ 	$6/m$ 
32	24	$6/mmm$ 	$6/mmm$ 

No.	number of faces or points	eigensymmetry (crystal form)	generating point group of basic general form (point form)
33	4	$4\bar{3}m$ 	
34	6	$m\bar{3}m$ 	
35	8	$m\bar{3}m$ 	
36	12	$2\bar{3}$ 	$2\bar{3}$ 
37	12	$m\bar{3}$ 	
38	12	$\bar{4}3m$ 	
39	12	$\bar{4}3m$ 	
40	12	$m\bar{3}m$ 	

No.	number of faces or points	eigensymmetry (crystal form)	generating point group of basic general form (point form)
41	24	$m\bar{3}$ 	$m\bar{3}$ 
42	24	$m\bar{3}m$ 	
43	24	$m\bar{3}m$ 	
44	24	432 	432 
45	24	$\bar{4}3m$ 	$\bar{4}3m$ 
46	24	$m\bar{3}m$ 	
47	48	$m\bar{3}m$ 	$m\bar{3}m$ 